"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

"Influence of anode and cathode polarization of the corrosion of metals."
Gaz, Wodna I Technika Sanitarna, Warsaw, Vol 28, No 5, May 1954, p. 131

SO: Eastern European Accessions List, Vol 3, No 10, Oct 1954, Lib. of Congress

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIELSKI, W.

POPIELSKI, W. Electric measurement of losses in weight caused by corrosion of underground constructions. p. 6. GAZA, WODA I TECHNIKA SANIT ARNA. Warszawa, Poland. Vol. 30, No. 1, Jan. 1956

SOURCE: East European Accessions List (EEAL) LC Vol. 5, No. 6, June 1956

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIELSKI, W.

Prevention of pipe corrosion in Poland. p. 385
(GAZ, WODA I TECHNIKA SANITARNA. Vol. 30, No. 10, Oct. 1956. Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 9, Sept. 1957
Uncl.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POLAND/Chemical Technology - Processing of Solid Fossil Fuels. H-22

Abs Jour : Ref Zhur - Khimiya, No 24, 1958, 82942

Author : Nawara, L., Popielski, W.
Inst : -
Title : The Practice of Storing Coke Gas in Beynes (France).

Orig Pub : Gaz. woda, techn. sanit., 1958, 32, No 1, 5-7.

Abstract : A technological scheme is briefly described concerning the purification of coke gas prior to its transfer to an underground storage place (dust collectors before compressing, oil collector after compressing, adsorbers with activated carbon, final dust collector), as well as the methods presently used for the determination of ammonia compounds, phenols, organic sulfur compounds, cyanogen compounds, NO and butadiene in gas, and in addition, working efficiency of adsorbers in respect to the removal of those harmful components from the gas.

Card 1/1

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POLAND/Chemical Technology, Chemical Products and Their Applications. Corrosion. Corosion Control. H

Abs Jour : Ref Zhur-Khimiya, No 6, 1959, 19810

Author : Popielski, Waslaw
Inst : -
Title : Methods of Determining Safety Current with a Cathose Shield.

Orig Pub : Gaz, woda i techn. sanit., 1958, 32, No 8, 304-305

Abstract : Seven methods are described for determining the degree of safety current (mainly of underground pipes) with a cathode shield based on plotting of anode and cathode polarization curves, determination of a transi-

Card : 1/2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIELSKI Waclaw

18

Corrosion inhibitors; their testing and application in the gas industry. Wacław Popielski and Zofia Wróblewska. *Gaz. Woda i Technika Sanitarna* 32, 330–2(1958).—Three lab. methods for testing corrosion inhibitors after Baker, *et al.* (*C.A.* 43, 2420*g*), *viz.*, (*a*) turbine oil rusting test, (*b*) static H_2O drop corrosion test, and (*c*) the fog-cabinet test were reexamd.; *a* was found much inferior to *c*, which produces the most severe conditions for the specimen investigated. The times of exposure in the fog cabinet reported by B. were found to be adequate for estg. the quality of the inhibitors. The smoothness of the surfaces of specimens examd. must be strictly controlled in order to obtain comparable results. 62 references. A. Szafrański.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIELSKI, W.; NAWARA, L.

Selecting gas samples for analysis. p. 155.

GAZ, WODA I TECHNIKA SANITARNA. (Stowarzyszenie Naukowo-Techniczne Inzynierow i Technikow Sanitarnych, Orgrzewnictwa i Gazownictwa) Warszawa, Poland. Vol. 33, No. 3, March 1959

Monthly List of East European Accession (EEAI) LC, Vol. 8, no. 7, July 1959

Uncl.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIELSKI, Waclaw, mgr inz.

Inspection offtakes of main gas lines. Gaz woda techn sanit 38 no.3:97-98 Mr '64

1. Central Gas Engineering Laboratory, Warsaw.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIELSKI, Waclaw, mgr inz.; WROBLEWSKA, Zofia, mgr

Experiments in applying sacrificial anode protection in gas engineering. Gaz woda techn sanit 37 no.9:270-274 S '63.

1. Central Gas Engineering Laboratory, Krakow Branch.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

LYUBIMOV, N.N., prof., doktor ekon. nauk; PLETNEV, E.P., doktor ekon. nauk; SERGEYEV, S.D., dots., kand. ekon. nauk; MEN'SHIKOV, S.M., doktor ekon. nauk; BUZYKIN, Yu.I., kand.ekon.nauk; DYUMULEN, I.I., dots., kand.ekon.nauk; IKONNIKOV, I.S., kand.ekon.nauk; KUZ'MIN, I.A., dots., kand.ekon.nauk; NESTEROV, M.V.; POPOV, A.N., dots., kand.ekon.nauk; SOLOV'YEV, A.A., kand.ekon.nauk; STEPANOV, G.P., dots., kand.ekon.nauk; SHCHETININ, V.D., dots. kand. ekon. nauk; MOGILEVCHIK, A.Ye., red.; SHLENSKAYA, V.A., red.

[Modern international economic relations] Sovremennye mezhdunarodnye ekonomicheskie otnosheniia. Pod red. N.N.Liubimova. Moskva, Izd-vo "Mezhdunarodnye otnosheniia," 1964. 583 p. (MIRA 17:5)

1. Moscow. Institut mezhdunarodnykh otnosheniy. 2. Predsedatel' Prezidiuma Vsesoyuznoy torgovoy palaty (for Nesterov).

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPOV, G.A.

Effect of water conditions on body proportions in some nongregarious shorthorned grasshoppers (Orthoptera, Acridoidea). Ent. oboz. 42 no.3:512-515 '63.
(MIRA 17:1)

1. Vsesoyuznyy institut zashchity rasteniy, Leningrad.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIELSKI, Waclaw

Cathode and insulation protection against corrosion.
Przegl techn no.43:5 26 O '60.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

S/081/62/000/022/039/088
B158/B101

AUTHORS: Popielski, Wacław, Wróblewska, Zofia

TITLE: Paste for corrosion protection of metals, particularly underground pipes

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 22, 1962, 309, abstract 22I221 (Polish patent 45439; December 27, 1961)

TEXT: Underground pipelines are protected against corrosion by applying a layer of the following paste to their surface (%): sludge from chrome plating 55, naphthenic acids 5, paraffin 10, machine oil 30. The paste components are mixed at an increased temperature and are applied cold. If the paste layer is broken, the pipeline is protected as a result of rapid leaching of the chromates from the paste under the action of water penetrating below the insulating layer. [Abstracter's note: Complete translation.]

Card 1/1

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

ANAN'YEV, V.A., TKACHEV, P.G., POPIK, A.L., SEMENOV, Ye.P. SINAYKO, G.A., LITVAK, Ye.N.

Experiences in the prevention of Botkin's disease with gamma gloublin. Vop.virus 3 no.3:183-185 My-Je '58 (MIRA 11:7)

1. Institut virusologii imeni AMN SSSR, Moskva i Sanitarno-epidemiologicheskaya stantsiya Kishineva.

(HEPATITIS, INFECTIOUS, prevention & control
gamma globulin (Rus))
(GAMMA GLOBULIN, therapeutic use
in prev. of infect. hepatitis (Rus))

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



POPIK, CZESLAW

Sympathicomimetic action of histamine on the isolated small intestine. Jarosław Billewicz-Stankiewicz and Czesław Popik. *Ann. Univ. Mariae Curie-Skłodowska, Lublin-Polonia*, Sect. D 10 495 (1955) English summary — The inhibitory phase of the peristaltic movement of the isolated small intestine of the rabbit caused by histamine can be related to adrenaline released in the tissue. The phenomenon is a fragment of a more general biological action of histamine as a secretory impulse for the secretion of adrenaline in various organs. Alina B. Szczesniak

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

FD 1411 C

BILLEWICZ-STANKIEWICZ, J.; POPIK, C.

Changes of irritability of the vagus nerve following intravenous drip administration of histamine. Acta physiol. polon. 8 no.3:284-285 1957.

1. Z Zakladu Patologii Ogolnej A. M. w Lublinie. Kierownik: doc. dr J. Billewicz-Stankiewicz.

(NERVES, VAGUS, effect of drugs on,
histamine on irritability, intravenous drip. admin (Pol))
(HISTAMINE, effects,
on vagus nerve irritability, intravenous drip. admin. (Pol))

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

GERGELY, Rezso, dr.; POPIK, Ervin, dr.

Tietze syndrome. Orv. hetil. 97 no.6:156-158 5 Feb 56.

1. A Budapesti Orvostudomanyi Egyetem I. sz. Sebeszeti Klinikajanak (igazgato: Hedri Endre dr. egyet. tanar) kozl.
(RIBS, dis.
Tietze's synd.(Hun))

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

PATAKY, Zsigmond, dr.; MAGY, Laszlo, dr.; POPIK, Ervin, dr.

Primary argentaffin tumor developing from the head of the pancreas. Orv.hetil. 100 no.39:1419-1420 S '59.

1. A Budapesti Orvostudomanyi Egyetem I. sz. Sebeszeti Klinikajanak (igazgato: Hedri Endre dr. egyetemi tanar) es a II. sz. Korbonctani Intezetenek (igazgato: Haranghy Laszlo dr. egyetemi tanar) kozlemenye.
(PANCREAS neoplasms)
(ARGENTAFFINOMA case reports)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIK, S. L. CHISTYAKOV, G. K.

25225. POPIK, S. L. CHISTYAKOV, G. K. Dezinsektsionnaya Kamerauproshehennogo Tipa. Sov. Meditsna, 1949, No. 8. S-39-40.

SO: Letopis' No 33, 1949

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

1. FOPIK, V.

2. USSR (600)

4. Television - Receivers and Reception

7. Measuring high frequency voltage of the hetrodine of the receiver. Radio No. 1, 1953.

9. Monthly List of Russian Accessions, Library of Congress, May 1953, Uncl.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

BARSHTEYN, V.A., inzh.; GONCHAR, P.P., inzh.; YEGOROV, V.V., inzh.; POPIK, V.N., inzh.

Dressing the contact track of wirewound resistors of potentiometers. Priborostroenie no.6:19 Je '65. (MIRA 18:7)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

S/058/62/000/006/131/136
A062/A101

AUTHORS: Popik, Yu. V., Dovgoshey, N. I.

TITLE: Applying the method of N. A. Tolstoy and P. P. Feofilov to investigate the photoconductivity kinetics of photoresistors made of mercury iodide

PERIODICAL: Referativnyy zhurnal, Fizika, no. 6, 1962, 29, abstract 6-3-57v ("Dokl. i soobshch. Uzhgorodsk. un-t. Ser. fiz.-matem. n.", 1961, no. 4, 56 - 57)

TEXT: For investigating the photoconductivity kinetics in specimens of mercury iodide, HgI_2, the method of Tolstoy's and Feofilov's taumeter was employed. When illuminating the HgI_2 specimens by rectangular light pulses, the increase and decrease of the photocurrent can be described by two exponential functions. Alternate rectifying two sections of the curve on the screen of an oscillograph permits the determination of the life durations of the photocurrent carriers. The measuring arrangement comprises a monochromator and a broad band amplifier for the photocurrent pulses. There are 4 references.
[Abstracter's note: Complete translation] V. L.

Card 1/1

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

L 8679-65 EWT(1)/EPA(s)-2/EWD(k)/EWT(m)/EEC(k)-2/T/EEC(b)-2/EWP(b)/EWA(h) Pn-4/
Pz-5/Pl-10/Peb IJP(c)/AS(mp)-2/ASD/AFWL/ESD(t)/RAEM(t) JD/JG
ACCESSION NR: AT4046104 S/3114/61/000/004/0056/0057

AUTHOR: Popik, Yu. V.; Dovgoshey, N. I.

TITLE: Application of the method of N. A. Tolstoy and P. P. Feofilov to the study of the kinetics of photoconductivity of photoresistors of mercurous iodide

SOURCE: Uzhgorod. Universitet. Doklady* i soobshcheniya. Seriya fiziko-matematicheskikh nauk, no. 4, 1961, 56-57

TOPIC TAGS: photoconductivity, photoresistor, mercurous iodide

ABSTRACT: The method of Tolstoy and Feofilov was originally developed for the study of relaxation processes. The present authors describe the application of the method to the study of the kinetics of photoconductivity of photoresistors of mercurous iodide. The method is applicable since the rise and fall of the photocurrent in such a photoresistor, subjected to square-wave impulses of light, can be expressed approximately as a sum of exponential functions. The authors describe an experimental set-up whereby, upon irradiating samples of the photoresistors with visible monochromatic light of various wavelengths, the lifetimes of the carriers of the photocurrent can be determined. This can be helpful in clarifying

Card 1/2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

L 8679-65

ACCESSION NR: AT4046104

the energy properties of the substance. "The authors thank D. V. Chepur (Cand. in the Phys. Math. Sci.) for his constant interest in the work and a series of valuable consultations." Orig. art. has: 1 formula.

ASSOCIATION: Uzhgorodskiy gosuniversitet (Uzhgorod State University)

SUBMITTED: 00 ENCL: 00 SUB CODE: SS

NO REF SOV: 004 OTHER: 000

Card 2/2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

S/194/62/000/006/083/232
D413/D308

9.4160

AUTHORS: Popik, Yu.V., and Dovgoshey, N.I.

TITLE: The application of the method of N.A. Tolstoy and P.P. Feofilov to investigating the photoconductivity kinetics of mercuric iodide photoresistors

PERIODICAL: Referativnyy zhurnal. Avtomatika i radioelektronika, no. 6, 1962, abstract 6-3-57 v (Dokl. i soobshch. Uzhgorodsk. univ., Ser. fiz.-matem. nauk, no. 4, 1961, 56-57)

TEXT: The tau-meter method of Tolstoy and Feofilov has been used in investigating the photoconductivity kinetics of samples of mercuric iodide HgI_2. When samples of HgI_2 are illuminated with rectangular pulses of light, the rise and fall of the photoelectric current can be described by two exponential functions. Consecutive rectifications of the two sections of the curve on an oscilloscope screen makes it possible to determine the life-times of the photoelectric current carriers. The measuring installation includes a

Card 1/2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

The application of the method ... S/194/62/000/006/063/232
D413/D308

mono-chromizer and a broadband amplifier of photo-current pulses. 4 references. [Abstracter's note: Complete translation.]

Card 2/2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

L 10771-67 EWP(m)
ACC NR: AP7003504 SOURCE CODE: UR/0076/66/040/006/1356/1360

AUTHOR: Karif'yants, Yu. A.; Popik, Yu. V.

ORG: Chemical Faculty, Moscow State University (Moskovskiy gosudarstvennyy universitet, Khimicheskiy fakul'tet); Physicomathematical Faculty, Uzhgorod State University (Uzhgorodskiy gosudarstvennyy universitet, Fiziko-matematicheskiy fakul'tet)

TITLE: "Adsorption of Water Vapor on the Surface of Oxidized PbS Powder"

SOURCE: Moscow, Zhurnal Fizicheskoy Khimii, Vol 40, No. 6, pp 1356-1360

ABSTRACT: The sensitivity of PbS photoresistances is increased considerably by heating them in the air. During this treatment chemisorption of oxygen on the surface and formation of oxidized compounds in the volume take place. Chemisorption cannot be differentiated from oxidation in the volume if the amount of oxygen that is taken up by PbS is determined gravimetrically, whereas adsorption of water vapor on oxidized PbS depends on the amount of O-containing complexes formed on the surface only. Determination of water vapor adsorption isotherms on PbS powder samples (natural galenite powder with a specific surface of 1.2 m^2/g) oxidized at 20, 100, 200 and 300° indicated that the amount of water adsorbed did not vary with the temperature of oxidation and was close to that corresponding to monomolecular filling of the surface. On the basis of the result obtained, the concentration of hydrated O-containing complexes on the PbS surface was of the order of 10-15 micromoles/m^2 and had the same value independently of the temperature of oxidation. The authors thank V. F. Kisolev for discussing the results of the work. Orig. art. has: 2 figures. [JPRS: 38,967]

TOPIC TAGS: adsorption, chemisorption, lead compound

SUB CODE: 07 / SUBM DATE: 08Jun65 / ORIG REF: 009 / OTH REF: 003

Card 1/1 UDC: 541.183

0926 0039

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

SOV/32-25-1-51/51

5(2), 7(0)

AUTHOR: Popikov, F.

TITLE: On the Determination of Moisture and Oil in Iron Turnings (Ob opredelenii vlagi i masla v zheleznoy struzhke)

PERIODICAL: Zavodskaya Laboratoriya, 1959, Vol 25, Nr 1, pp 128-128 (USSR)

ABSTRACT: In this paper the sum of moisture plus oil in iron turnings is determined as follows:
The sample taken in the usual way (200 g) is heated in a heat-resistant steel crucible to 250-300° for one hour. Then the crucible (with the sample) is heated to 500-600° in an open muffle furnace, the oil burning up within 5-10 minutes. The cooled sample is then weighed.

ASSOCIATION: Zavod "Elektrostal'" ("Elektrostal'" Works)

Card 1/1

USCOMM-DC-60,550

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIKOV, M.N.

Lifting jack. Mashinostroitel' no.11:29 N '59.
(MIRA 13:3)
(Lifting jacks)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIKOV, M.N., inzh.

A 100-ton hydraulic press. Mashinostroitel' no.3:8-9 Mr '60. (MIRA 13:6)
(Hydraulic presses)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



Popikov, V.I.

GTRSPL, Vol. 1 No. 3

Popikov, V.I., Recombination coefficient of ions during corona discharge in the atmosphere, 61-4.

Akademiya Nauk, SSSR, Doklady, Vol. LIX, No. 1 (1948)

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

24.2600

S/058/62/000/005/053/119
A057/A101

AUTHORS: Popik, Yu. V., Dovgoshey, N. I.

TITLE: The use of the method of N. A. Tolstoy and P. P. Feofilov for the study of photoconductivity kinetics of mercuric iodide photoresistances

PERIODICAL: Referativnyy zhurnal, Fizika, no. 5, 1962, 65, abstract 5V443 ("Dokl. i soobshch. Uzhgorodsk. un-t. Ser. fiz.-matem. n.", 1961, no. 4, 56-57)

TEXT: It is demonstrated that the oscillographic method for the investigation of relaxation processes, suggested by N. A. Tolstoy and P. P. Feofilov (method of "taumeter") ("Uspekhi fiz. nauk", 1950,v.41, no. 44) can be used for the study of the photoconductivity of HgI_2, the kinetics of which are approximated by the sum of two exponents ($\tau_1 = 5 - 8 \cdot 10^{-4}$, $\tau_2 = 1 - 2 \cdot 10^{-4}$ sec). A short description of the apparatus for the investigation of photoconductivity kinetics of samples during irradiation by visible monochromatic light of various wavelengths is given.

P. F.

[Abstracter's note: Complete translation]

CARD 1/1

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIKOV, M.N., inzh.

Redesigning of the rollers of a grab crane. Energetik 11 no.7:18 Jl '63. (MIRA 16:8)

(Cranes, derricks, etc.)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIKOV, M.N., inzh.

Device for instantaneous stopping of conveyors. Stroi. i dor.mash. 9 no.10:28 O '64. (MIRA 18:1)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIKOV, M.N., inzh.

Double joints for the slip rings of bridge-type bucket cranes.
Energetik 13 no.1:29 Ja '65. (MIRA 18:3)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPIKOV, M.N.

Device eliminating breaks in the bendable cable for the bucket on the E-2005 excavator. Stroi. i dor. mash. 10 no.2:20 F '65.
(MIRA 18:3)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

L 35525-65 EWG(j)/EWT(m)/EPF(c)/EWP(j)/T/EWA(h)/EWA(1) Pc-4/Pr-4/Peb RM
ACCESSION NR: AP5008205 S/0286/65/000/005/0071/0072

AUTHORS: Gunder, O. A.; Grachev, N. M.; Popilin, O. N.; Lifits, A. L.; Ponomareva, Ye. N.; Telegin, V. G.; Tokareva, A. A.

TITLE: A method for producing plastic scintillators. Class 39, No. 168884

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 5, 1965, 71-72

TOPIC TAGS: plastic, scintillator, polymerization

ABSTRACT: This Author Certificate presents a method for producing plastic scintillators by thermal polymerization in bulk of vinyl toluene in the presence of phosphors. In order to increase the light output and the heat resistance of the scintillators, a mixture of ortho- and paravinyl toluene is used for the vinyl toluene isomers.

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy institut monokristallov (All-Union Scientific Research Institute of Single Crystals)

SUBMITTED: 06Mar64 ENCL: 00 SUB CODE: MT, OP

NO REF SOV: 000 OTHER: 000

Card 1/1

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

CZECHOSLOVAKIA

Vladimir BOŘEK and Josef [illegible] MD and Head (pracelnik) Department of Surgery of Military Hospital (Chirurgicke oddeleni vojenske nemocnice,) Plzen.

"Treatment and Care of Multiple Leg Fractures."

Prague, Vojenske Zdravotnicke Listy, Vol 31, No 6, Dec 67; pp 252-253.

Abstract [English summary modified]: Case of comminuted fracture of femur, patella and tibia in aviator who had motorcycle accident; immediate surgical care resulted in relatively rapid and complete cure. Four Western and 1 Czech reference.

1/1

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILKA, Josef, C. Sc.

Surgery of traumatic spondylolisthesis by transperitoneal fixation with a bone nail. Acta chir. orthop. trauma. Cech. 28 no.1:56-63 F '61.

1. Posadkova nemocnice v Plzni.

(SPONDYLOLISTHESIS surg)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILKA, J.

"The unsupported plaster cast and auxiliary methods of fixation." p. 378. (CASOPIS LEKARU CESKYCH, Vol. 92, no. 14, Apr. 1953, Praha.)

SO: Monthly List of East European Accessions, Vol. 2, No. 10, Library of Congress October 1953, Uncl.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILKA, Josef, MUDr, Plukovnik

Plaster cast without padding and other auxiliary fixation methods.
Voj.zdrav.knihovna Vol 13:1-192 1954.
(PLASTER CASTS
without padding, technic)
(FRACTURES, therapy
fixation methods)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILKA, Josef, Pik. MUDr.

Clinical manifestations and therapy of so-called cystic degeneration of the lateral knee meniscus. Acta chir. orthop. traum. cech. 24 no.4: 285-295 July 57.

1. Chirurgicke oddeleni 3. ON v Plzni.
(KNEE, cysts
traum. cystic degen. of lateral meniscus, clin. manifest. & ther. (Cz))

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



POPILOV, L. Ya.

c4

Fused diabase in reaction apparatus and some peculiarities of its use. L. Ya. Popilov. *J. Chem. Ind.* (U. S. S. R.) 15, No. 10, 10-25(1938). Slabs of fused diabase joined by a cement made of the same material powdered and mixed with water glass give a good protective lining to prevent corrosion in chem. app. H. M. Leicester

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



POPILOV, L. Ya

Lining of vats with fused diabase. L. Ya. Popilov. *Bumazhnaya Prom.* 16, No. 1, 73–4(1938); cf. *C. A.* 33, 4379.—Concrete vats for the soln. of alums and Al_2O_3 in acids in the prepn. of paper sizes were lined with fused diabase tiles (220 × 110 × 25 mm.) with the aid of a binder contg. powd. diabase 93, Na_2SiF_6 5 and $BaSiO_3$ 2% and water glass to a required consistency. After the 11 months' use, the vats and lining showed no signs of chem. and mech. disintegration. Chas. Blanc

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



CA

9

Electrolytic polishing—a new method of metallographic technique. L. Ya. Popilov. *Zavodskaya Lab.* 11, No. 1, 70-71(1945).—The optimum conditions and the electrolytes producing best results with the various metals used are described. Best results are obtained with H_3PO_4, HBF_4, $H_3PO_4 + H_2SO_4 + H_2CrO_4$ + glycerol + ethylene glycol, H_2SO_4 + citric acid, H_2SO_4 + org. substances. Good results are obtained with MeOH + HNO_3 and EtOH + HNO_3, but these mixts. require higher potentials (60–130 v.) and the process is more complicated and difficult. Various effects (ranging from coarse corrosion and pitting to quality polishing of the surface) can be obtained by changing the potential. The abs. value of the potential in the cell has no noticeable effect on the quality, provided the required potential is sustained. Gas formation at the anode does not affect the quality of the surface if the adhesion of the gas bubbles is not great. Forty-one references. W. R. Henn

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



PROCESSES AND PROPERTIES INDEX

M

New Electrical Methods for Treating Metals. L. Ya. Popilov. (*Vestn. Mashinostroeniya*, 1948, **28**, (9/10), 47–54; *C. Abs.*, 1946, **40**, 4961).—[In Russian]. A review of metal-treating methods which utilize electrical energy directly, including anodic polishing, electric erosion, and electrochemical removal of scale.

9

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



4

Electropolishing. L. Ya. Popilov. U.S.S.R. 66,401, May 31, 1946. A layer of Hg (serving as one electrode) in the bottom of a container is sepd. from the electrolyte by a layer of nonconducting liquid, e.g., CCl_4. The other electrode dips into the electrolyte. When the article to be treated is lowered to the bottom the circuit is closed. Withdrawing of the piece breaks the circuit.

M. Hosch

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



Electrolytic Polishing of Metallographic Sections. L. P. Zaitzeva and L. J. Popilov. *Engineers' Digest* (American Edition), v. 4, Apr. 1947, p. 194-195. Abstracted from *Zavodskaja Laboratoriya*, nos. 7 and 8, 1946, p. 679-692.

Describes a comprehensive series of experiments with the object of establishing the conditions for successful polishing of a number of constructional carbon steels, high and low carbon, and high and low alloy steels.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4



Electrolytic polishing of metallographic sections. L. P. Zaitseva and L. Ya. Popilov. *Zavodskaya Lab.* 12, 979-92(1946)(in Russian).—With c.d. 10-100 amps./sq. dm., 1-60 min., temp. 15-25 and 70-90°, neither solns. of H_3PO_4 (56-93%), with or without addn. of citric acid, glycerol or ox bile, nor solns. of H_2SO_4 (24-68%), with or without addn. of glucose, peptone, or citric acid, proved suitable; pitting occurred in all samples. Satisfactory results were obtained with mixts. of H_2SO_4 (12-19%) and H_3PO_4 (51-68%) with addns. of glycerol, citric acid, lactic acid, or casein; H_3PO_4 51, H_2SO_4 12, H_2O 0.5, glycerol 24, or H_3PO_4 67.9, H_2SO_4 19.3, H_2O 10.7, casein 2.1, etch stainless, acid-resistant and high-speed steel at room temp. and polish when hot. Mixts. of H_3PO_4 (70-81.5%), H_2SO_4 (11.5-17%), and CrO_3 (3.5-6.5%), without addn., act essentially in the same way, on all steels, both C and alloy; these electrolytes are not, however, effective when freshly prepd. but improve on working up to a certain stage, after which their efficiency and throwing power fall off rapidly. The condition of the H_3PO_4-H_2SO_4-CrO_3 bath can be diagnosed by visual colorimetric comparison with a standard Cr^{III}/Cr^{VI} scale: the bath polishes in the medium interval Cr^{III}/Cr^{VI} = 1:1 to 4:1, etches at 1:4 and 9:1 and corrodes at more extreme values of that ratio; these limits are valid for a soln. of sp. gr. 1.6-1.7; η, 7-20 centipoises. Artificial conditioning of the freshly prepd. H_3PO_4 76.5, H_2SO_4 11.5, H_2O 6, CrO_3 6 electrolyte was attempted by passing a current in the cold and hot soln. and by evapg. at 129°; the latter procedure proved most effective. A bath requiring but a very short preliminary conditioning can be prepd. directly from the anhydrous ingredients: H_2SO_4 (d. 1.84) 12.1, H_3PO_4 (d. 1.54) 81.3, CrO_3 (solid) 6.6%. A bath having departed from the correct sp. gr., η and Cr^{III}/Cr^{VI} criteria in the course of operation, is best regenerated by electrolytic oxidation with the Pb tank as anode and an immense porous vessel contg. a Pb cathode, at an anodic c.d. 0.5 amp./sq. dm., until the correct characteristics are reached; the etching-polishing ability of the bath is then fully restored. Regeneration by addn. of CrO_3, upsetting the total Cr content, or by chem. oxidation with $(NH_4)_2S_2O_8$, is not recommended. The correct H_3PO_4-H_2SO_4-CrO_3 of the given compn. is universal; best conditions for polishing are, for C steels, 30-40 amp./sq. dm., for medium-alloy steels 40-60, for high-alloy 60-70; temp. 75-90°, 8-15 min. The medium Cr^{III}/Cr^{VI}, normally polishing electrolyte, can be made to etch by lowering the c.d. to 15-30 amp./sq. dm. and the temp. to 40-60°. The c.d., time, and temp. conditions are const. for a given steel, irrespective of its heat-treatment, except for a slight increase of pitting in annealed and highly tempered samples. After unsatisfactory etching, samples can be repolished and re-etched. Drawbacks of the electrolytic methods are curvature of the polished surface, leaching out of certain inclusions and components, some amt. of opaque or colored film, striation and spotting. Main advantages are absence of mechanical and thermal changes and high fineness of structural detail.

W. R. Heun

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. YA.

Elektropolirovka metallov. Moskva, Mashgiz, 1947. 123 p. illus.

Bibliography: p. 117-122.

Electric polishing of metals.

NN

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. YA.

Mar 1948

USSR/Metals
Metallurgy
Electrochemistry

"New Electrochemical Methods for Finishing Metals in Laboratory Practice," L. Ya. Popilov, 3 pp

"Zavod Lab" Vol XIV, No 3

Describes laboratory equipment for anode-mechanical cutting of metals and alloys; anode-mechanical milling of laboratory samples. Briefs performance of the equipment and quality of the finishing processes.

62T71

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. Ya.

25772. POPILOV, L. Zhidkoe steklo. Ill. V. Buravlev. Znaniesila, 1949, No. 7, s. 33-35.

SO: Letopis' Zhurnal'nykh Statey, Vol. 34, Moskva, 1949

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. YA.

Apr 49

USSR/Metals
Metallurgy
Magnetic Materials

"A Simple Method of Obtaining Magnetic Powder," L. Ya. Popilov, Experimental Lab for Elec Processing of Metals, 1 p

"Zavod Lab" Vol XV, No 4

Successfully applied a new method to obtain magnetic powder, based on use of electric-arc breakdown of metals. Metal to be pulverized is subjected to action of a powerful arc discharge in a highly medium (water) and is transformed into a highly dispersed metallic dust. Powders obtained are deposited or centrifuged, washed with ammonium and dried.

43/49T8

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. YA. and L. I. KOZLOVSKII.

Elektroiskrovaia obrabotka metallov. Leningrad, Mashgiz, 1950. 129 p.

Electric spark technique in metal working.

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Popilov, L. Ya.

Aero Sci - Instr.

102/103 621.9 :621.785.54

Electric Spark-Hardening of Tools

Stanki i Instrum. (5),17-19 1951

L.Y. Popilov

U.S.S.R.

Index Aeronautics March 1954 Machine Tools and Operations

In this process an electrical impulse discharge is applied to the surface of a steel cutting tool. The tool acts as one electrode, the other being a metal or carbon rod called the hardening electrode. The high heat concentration caused by the discharge leads to high-speed quenching of fused metal and its hardening as a meta-stable austenite, the dissolution of nitrogen from the air in the fused metal and the forming of solid nitrides in the austenite and the dissolution of carbon and other elements from the hardening electrode in the fused metal. A criterion of effectiveness of the process is taken as the ratio of the times between regrinds for hardened and untreated tools, keeping the same feeds and speeds and measures of wear. Values based on this criterion found in practice for turning tools, milling cutters, drills, chisels, press tools and counterboring cutters are tabulated. (From Engrs' Dig., 14(11),424-425,Nov.,1953,U.K.)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. YA.

Alekseyev, A. V. and Popilov, L. Ya.

Machine Tools

Elektrouprochnenie instrumenta. Pod obshchey redaktsiey...V. N. Guseva.
(Bibliotechka elektrotechnologa. Vypusk IX)
Leningrad, Gosudarstvennoe Nauchno-Tekhnicheskoe Izdatel'stvo
Mashinostroitel'noy Literatury, 1952. pp. 69, photos, diags., tables, 22 x 15.

LXIII-2

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. Ya.

KOSMACHEV, I. G.

25(1); P-Y PHASE I BOOK EXPLOITATION SOV/1404

Levinson, Ye. M., B. G. Gitin, A. P. Gatchenko, and Ya. I. Vaisberov

Polucheniye polozhy i otrezki v metalle elektroiskrovym sposobom (Electrospark Method of Cutting Grooves and Holes in Metals) Moscow, Mashgiz, 1952. 39 p. (Series: Biblioteshka elektrotekhnologa, No. 4) 6,000 copies printed.

Ed. (Title page): Ozerov, V. N., Laureate of the Stalin Prize, Engineer; Ed. (Inside book): Popilov, L. Ya., Engineer; Tech. Ed.: Bakalova, I. V.; Managing Ed. for Literature on Machine Building Technology (Leningrad Division, Mashgiz): Nikitin, F. G., Engineer.

PURPOSE: This booklet is intended for technologists working in the field of electrical metalworking processes and for skilled workers.

COVERAGE: The booklet presents basic principles of the electrospark machining of holes and cavities in metals. Information on electrospark equipment is given and some examples of the applications of electrospark machining methods are presented. The following personalities were awarded Stalin prizes for their contributions to the development of electromachining methods: B. R. Lazarenko, N. I. Lazarenko, and V. N. Ozerov. For the purpose of introducing and promoting electromachining methods, the Leningrad Branch of Mashgiz (State Scientific

Card 1/3

Electrospark Method of Cutting Cavities (Cont.) SOV/1404

and Technical Publishing House of Literature on Machinery) on the recommendation of the Committee on Electromachining (Leningrad Branch of the Scientific, Engineering and Technical Society of Mechanical Engineers) undertook publication of the "Library for Electrotechnologists" which includes the following booklets: L. Ozerov, V.N. Anodic-mechanical Machining of Metals.; I. Levinson, Ye. M. Electrospark Machining of Metals.; P. A. Strykanovskiy, and P.O. Klimenkov. Anodic-mechanical Sharpening of Hard Alloy Tools 4. Levinson, Ye.M., B.G. Gitin, A.P. Gatchenko, and Ya. I. Vaisberov. Electrospark Method of Cutting Cavities and Holes in Metal 5. Chigirin, N.P. Anodic-mechanical Cutting of Metals 6. Ivanov, V.K. Anodic-mechanical Machining of Saw Plates and Bits 7. Bal, B. I., and I. G. Kosmachev. Anodic-mechanical Metal Finishing 8. Gitin, B.G. and A. L. Minkevich. Controls for the Operating Regime of Electrospark and Anodic-mechanical Machine Tools 9. Alekseyev, A.V., and L. Ya. Popilov. Electric Hardening of Tools. 10. Rogozhkin, L. N. Electrochemical Metal Polishing: The booklet contains illustrations and diagrams. There are no references.

TABLE OF CONTENTS:

Foreword 3

Card 2/3

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Popilov, L. Ya.

KOSOLAPOV, I.I.; KOSMACHEV, I.G.; VISHNITSKIY, A.L.; POPILOV, L.Ya., inzhener, retsenzent; SLONIMSKIY, V.I., [deceased], kandidat tekhnicheskikh nauk, redaktor; DLUGOKANSKAYA, Ye.A., tekhnicheskiy redaktor

[Work with anodic-mechanical grinders] Rabota na anodno-mekhanicheskikh zatochnykh stankakh. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroitel'noi lit-ry, 1952. 172 p. [Microfilm] (MIRA 9:3)
(Grinding and polishing)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

PHASE I BOOK EXPLOITATION 1089

Popilov, L.Ya., Demchuk, I.S., Bogorad, I.Ya., Bogorad, L.Ya., Kaznachey, B.Ya., Belyayev, G.S., Askinazi, B.M., Zaytseva, L.P., Dyatchenko, A.P.

Elektrotekhnologiya (Electrical Methods of Processing Materials) [Leningrad] Sudpromgiz, 1952. 377 p. 5,000 copies printed.

Resp. Ed.: Slonimskiy, V.I.; Ed.: Lachininskaya, O.V.; Tech. Ed.: Frumkin, P.S.

PURPOSE: This book is intended as a practical guide for engineering and technical personnel of industrial establishments and for workers in design and planning organizations and scientific-research institutes. It may also be useful to students of vuzes and tekhnikums.

COVERAGE: The book explains the technology of processing and finishing metals and materials by electrical methods. No personalities are mentioned. There are 46 references, all Soviet.

Card 1/8

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

TABLE OF CONTENTS:

Preface 3

Introduction 5

PART I. ELECTROCHEMICAL METHODS

Section 1. Electric Polishing of Metals 13

Ch. I. Essentials of the Electric Polishing Method 13
1. Removal of metal 14
2. Fields of application 16

Ch. II. Technical Characteristics of Electric Polishing 18
3. Mechanical properties 18
4. Microgeometry of the surface 20
5. Corrosion resistance of the surface 23
6. Optical properties 27

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Ch. III. Equipment and Materials for Electric Polishing 27
7. Tanks, cathodes, and suspension rods 28
8. Electrical operating conditions and sources of current 36
9. Electrolytes 40
10. Equipment and layout of the plant 49

Ch. IV. Technology of Electric Polishing 51
11. Procedure 51
12. Electric polishing of fittings, tubings, and turbine blades 54
13. Machining of cutting and measuring tools 59
14. Electric polishing in metallography 61

Section 2. Electroforming 72

Ch. I. Essentials of the Method 72
1. Basic physical processes 72
2. Fields of application 73

Ch. II. Equipment and Materials 77
3. Shop equipment 77
4. Models 79

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Electrical Methods (Cont.) 1089

Ch. III. Electroforming Technique 81
5. Preparing the model surface 82
6. Build-up process 95

PART II. ELECTROTHERMAL METHODS OF METALWORKING

Section 1. Electrothermal Processing Without Melting of Metal 107

Ch. I. Heating Methods 107
1. Electrolytic heating 109
2. Contact heating 111
3. Induction heating 114
4. Dielectric heating 120

Ch. II. Casehardening of Ferrous Metals 122
5. Quenching in electrolytic heating 125
6. Quenching in contact heating 131
7. Quenching in induction heating 136

Card 4/8

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Ch. III. Heating of Metals Before Forming 145
8. Metal forming with electrolytic heating 146
9. Metal forming with contact heating 150
10. Metal forming with induction heating 155

Ch. IV. Electromechanical Metal Finishing 169
11. Turning 169
12. Smoothing 174

Ch. V. Drying and Bonding of Materials by High-frequency Currents 177
13. Drying of wood 178
14. Bonding and veneering of wood 180
15. Drying of moulding compounds 183

Section 2. Electrothermal Processing With Melting of Metal 189

Ch. I. Melting of Ferrous and Nonferrous Metals and Alloys 189
1. Melting in induction furnaces with iron core 190
2. Melting in induction furnaces without iron core 195
3. Melting in vacuum furnaces 203

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Ch. II. Brazing of Metals	206
4. Heating methods for brazing	206
5. Solders and fluxes	207
6. Brazing of structural parts with induction heating	210
7. Brazing of carbide blades on tools	216
PART III. ELECTRO-EROSION METHODS OF METALWORKING	
Section 1. Electrolytic Metalworking	230
Ch. I. Essentials of the Method	230
1. Removal of metal	231
2. Basic physical processes	236
3. Machineability of various metals	241
4. Tools	242
Ch. II. Electrolytic Sharpening of Cutting Tools and Milling Cutters	242
5. Sharpening of carbide tools	243
6. Machine tools	255

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Ch. III. Electrolytic Metal Cutting 270
7. Cutting techniques 271
8. Machine tools 278

Ch. IV. Expanding the Field of Application 291
9. Cavity shaping 292
10. Finishing 294

Section 2. Electro-spark Metalworking 296

Ch. I. Essentials of the method 296
1. Basic physical processes 296
2. Fields of application 298

Ch. II. Technical Characteristics of the Electro-spark Method 302
3. Operating conditions of the process 302
4. Surface quality after electro-spark processing 306
5. Rate of metal removal 309
6. Accuracy of processing 312

Card 7/8

Card 8/8 2-5-59

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. Ya.

J. of The Iron & Steel Inst.
V-176 Feb 1954
Heat-Treatment of Heat-Treatment Furnaces

(1) Met

On the Use of Alternating Current in the Electromechanical Surface Hardening of Tools and Machine Parts. L. Ya. Popilov. (*Vestnik Mashinostroeniya*, 1952, 32, (9), 60–61). Views on the mechanism of the electromechanical surface hardening of steels are surveyed. The results obtained when using direct and alternating currents are compared. It is concluded that electrochardening equipment can be simpler and cheaper if alternating current is used.—v. g.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. YA.

PHASE I TREASURE ISLAND BIBLIOGRAPHICAL REPORT AID 516 - I

BOOK

Call No.: AF613036

Author: POPILOV, L. YA.
Full Title: TECHNOLOGY OF ELECTRO-POLISHING OF METALS
Transliterated Title: Tekhnologiya elektropolirovaniya metallov

PUBLISHING DATA

Originating Agency: None
Publishing House: State Scientific and Technical Publishing House of Machine-Building Literature (Mashgiz)
Date: 1953 No. pp.: 254 No. of copies: 5,000
Editorial Staff
Editor: Yampolskiy, A. M., Eng.,
Editor-in-Chief: Nikitin, P. S., Eng.
Appraiser: Batashev, K. P., Kand. of Tech. Sci.

PURPOSE: This book is written for a wide circle of engineering and technical workers specializing in metal working and finishing in plants and laboratories and also for students of technical schools.

TEXT DATA

Coverage: This book contains information on the nature, special features and applications of electro-polishing -- an electrolytic means of metal finishing. Diagrams, photos, graphs, tables.
No. of References: 87 Russian, dated 1937-1952
Facilities: None

1/1

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. YA.

Moscow Steel Inst. of Steel

Journal of the Iron and Steel Institute
Vol. 176
Apr. 1954
Heat-Treatment and Heat-Treatment Furnaces

Electric Hardening of Tools. L. Ya. Popilov. (*Stanki i Instrument*, 1953, (8), 17–19). [In Russian].—The theory, methods and applications of the electric-spark hardening of steel surfaces are considered. Following a description of the apparatus, the effect of the process on the hardness, durability, and quality of the treated surface are discussed, various hardening electrode materials being compared. The results of an extensive investigation of industrial spark-hardening experience are summarized. The evolution of heat is the main surface-modifying effect, migration of elements in the discharge and by contact being secondary. Conditions for treating carbon and high-speed steels and the properties and depths of the resulting surfaces are tabulated.—S. K.

9-54

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L.Ya.

Electric hardening of tools. Stan. i instr. 24 no.5:17-19 My '53.
(MLRA 6:6)
(Electric spark)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

YUTKIN, L.A., POPILOV, L.YA, inzhener; redaktor; FETISOV, F.I., inzhener, redaktor; POL'SKAYA, R.G., tekhnicheskiy redaktor;

[Electrohydraulic effect] Elektrogidravlicheskii effekt. Moskva, Gos.Nauchno-tekhn.izd-vo mashinostroitel'noi lit-ry, 1955. 49 p. (MLRA 8:9)
(Electric discharges)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, Lev Yakovlevich; ZAYTSEVA, Lidiya Pavlovna; FOMIN,N.V., redaktor; GOLYATKINA,A.G., redaktor; EVENSON,I.M., tekhnicheskiy redaktor

[Electrolytic polishing and etching of metallographic sections] Elektropolirovanie i elektrotravlenie metallograficheskikh shlifov. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1955. 310 p. (MLRA 9:2)

(Metallography) (Polishing, Electrolytic)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. YA.

USSR/ Scientific Organization - Conference

Card 1/1 Pub. 103 - 18/22

Authors : Popilov, L. Ya.

Title : A conference on grinding and polishing

Periodical : Stan. i instr. 6, 35-36, June 1955

Abstract : In 1954, in Leningrad a scientific and technical conference was held by the Leningrad Departments of the All-Union Mechanical Engineers Scientific and Technical Society, and All-Union Research Institute for Medical Instruments, on problems related to grinding and polishing metal. Abstracts of works and lectures presented at the conference, are given. Tables.

Institution : .....

Submitted : .....

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L. Ya.

AID P - 4140

Subject : USSR/Electricity

Card 1/2 Pub. 27 - 27/33

Author : Popilov, L. Ya., Eng., Leningrad

Title : Scientific and industrial conference on electric methods of processing metals. (Current events).

Periodical : Elektrichestvo, 12, 76-77, D 1955

Abstract : In July, 1955, a conference took place in Leningrad on the subject of electric methods of processing metals. Over 400 representatives of various educational, scientific, design and industrial organizations and establishments participated. The author gives a summary of the discussions. The reports presented at the conference were published in a book under the editorship of the author of this article. Some of the reports were published in this journal, Nos. 9 and 10, 1955. One diagram.

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, Lev Yakovlevich; VOLKOV, D.A., kandidat tekhnicheskikh nauk, redaktor; KAPLANSKIY, Ye.F., redaktor izdatel'stva; SOKOLOVA, L.V., tekhnicheskiy redaktor

[Safety engineering in the electrical working of metals] Tekhnika bezopasnosti pri elektricheskikh sposobakh obrabotki metallov. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1956. 174 p. (MLRA 9:10)

(Metalwork--Safety measures)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Kuklin, L.Ya.

ANTIPOV, K.F., inzhener; BALAKSHIN, B.S., doktor tekhnicheskikh nauk, professor; BARYLOV, G.I., inzhener; BEYZEL'MAN, R.D., inzhener; BERDICHEVSKIY, Ye.G., inzhener; BOBKOV, A.A., inzhener. KALININ, M.A., kandidat tekhnicheskikh nauk; KOVAN, V.M., doktor tekhnicheskikh nauk, professor; KORSAKOV, V.S., doktor tekhnicheskikh nauk; KOSILOVA, A.G., kandidat tekhnicheskikh nauk; KURYAVTSEV, N.T., doktor khimicheskikh nauk, professor; KURYSHEVA, Ye.S., inzhener; LAKHTIN, Yu.M., doktor tekhnicheskikh nauk, professor; NAYERMAN, M.S., inzhener; NOVIKOV, M.P., kandidat tekhnicheskikh nauk; PARIYSKIY, M.S., inzhener; PEREPOHOV, M.N., inzhener; POPILOV, L.Ye., inzhener; POPOV, V.A., kandidat tekhnicheskikh nauk; SAVERIN, M.M., doktor tekhnicheskikh nauk, professor; SASOV, V.V., kandidat tekhnicheskikh nauk; SATEL', E.A., doktor tekhnicheskikh nauk, professor; SOKOLOVSKIY, A.P., doktor tekhnicheskikh nauk, professor [deceased]; STANKEVICH, V.G., inzhener; FRUMIN, Yu.L., inzhener; KHRAMOV, N.I., inzhener; TSEYTLIN, L.B., inzhener; SHUKHOV, Yu.V., kandidat tekhnicheskikh nauk; BABKIN, S.I., kandidat tekhnicheskikh nauk; VOLKOV, S.I., kandiat tekhnicheskikh nauk; GORODETSKIY, I.Ye., doktor tekhnicheskikh nauk, professor; GOROSHKIN, A.K., inzhener; DOSCHATOV, V.V., kandidat tekhnicheskikh nauk; ZAMALIN, V.S., inzhener; ISAYEV, A.I., doktor tekhnicheskikh nauk, professor; KEDROV, N.N., kandidat tekhnicheskikh nauk; MALOV, A.N., kandidat tekhnicheskikh nauk; MARDAMYAN, M.Ye., inzhener; PANCHENKO, K.P., kandidat tekhnicheskikh nauk; SEKRETEV, D.N., inzhener; STAYEV, K.P., kandidat tekhnicheskikh nauk; SYROVATCHENKO, P.V., inzhener; TAURIT, G.B., inzhener; EL'YASHEVA, M.A., kandidat tekhnicheskikh nauk;

(Continued on next card)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

ANTIPOV, K.F. ---(continued) Card 2.
GRANOVSKIY, G.I., redaktor; DENYANYUK, F.S., redaktor; ZUBOV, V.P., redaktor; CHARNKO, D.V., redaktor; MARKUS, M.Ye., inzhener, red. izd-va [deceased]; SOKOLOVA, T.F., tekhnicheskiy redaktor

[Machine builder's manual] Spravochnik tekhnologa mashinostroitelia; v dvukh tomakh, red.sovet V.M.Kovan. Chleny red. soveta S.S.Belokoin i dr. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit. lit-ry. Vol. 1. (Pod red. A.G.Kosilovoi) 1956. 660 p. Vol.2. (Pod red. A.M. Malova) 1956. 584 p. (MLR 10:8)
(Machinery industry)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

AID P - 4296

Subject : USSR/Engineering

Card 1/1 Pub 128 - 21/25

Author : Popilov, L. Ya., Engineer

Title : Second Conference on new electrical methods for machining metals.

Periodical : Vest. mash., #2, p. 66-68, F 1956

Abstract : This is a short review of the scientific and industrial conference held in Leningrad, June 3-9, 1956, organized by the Electrical Machining Section of the Leningrad and Moscow Branches of the All-Union Industrial Mechanical Engineers Scientific and Technical Society (VNITOMAShPROM). Eighty papers read at the conference have been later published under the title: Novyye elektricheskiye metody obrabotki materialov: Sbornik pod red. L. Ya. Popilova. Mashgiz, 1955.

Institution : None

Submitted : No date

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L.Ya., inzhener.

Spot welding for the repair of worm parts in ship machinery. Sudostroenie 22 no.5:31-35 My '56. (MLRA 9:9)
(Electric welding) (Ships--Maintenance and repair) (Hard facing)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

25(5) PHASE I BOOK EXPLOITATION SOV/1317

Kirovskiy rayon Leningrada v bor'be za tekhnicheskiy progress; [sbornik statey] (The Kirov District of Leningrad Strives for Technological Progress; Collection of Articles) Leningrad, Sudpromgiz, 1957. 171 p. 1,100 copies printed.

Resp. Ed.: Popilov, L.Ya.; Tech. Ed.: Kuznetsova, P.A.

PURPOSE: This book may be useful to personnel of the shipbuilding, instrument-making, machinery, chemical and metallurgical industries, and to personnel of the maritime and river fleets.

COVERAGE: This collection of articles describes the progressive experience of the industrial plants of the Kirov district of the city of Leningrad in the fields of shipbuilding, machine building, instrument-making, casting, hydrolytic and other industries. New manufacturing methods are discussed in the articles by V.F. Kovyzhkin, V.P. Kuznetsov, A.Kh. Starostenko, I.A. Maslov, A.L. Labutin, and Ya.M. Shmekker. It is stated that the plant "Krasnyy khimik" has developed and is using a new improved method of making citric acid with the use of tagged atoms. This method has increased production by 48 percent. The plant also makes use

Card 1/4

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

of a new method of producing magnesium salt which assures a 20 percent increase in production. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Chernyavskiy, K.S., Secretary of the Kirov District Committee of the Communist Party of the Soviet Union. We Must Ceaselessly Strive for Technological Progress 3

SHIPBUILDING, SHIP REPAIR AND FLEET OPERATION

Kovryzhkin, V.F. New Methods in Shipbuilding 6

Kuznetsov, V.P. New Technology for River Fleet Transport 38

Mikhelev, D.I. Trends in Shipyard Engineering Development 48

Sokolov, I.P. Primary Objectives in the Mechanization of Labor-consuming and Heavy Operations in Shipbuilding 54

Smirnov, P.I. Outlook for Technological Developments and Organization of Ship Repair 69

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

MACHINE-BUILDING, INSTRUMENT-MAKING, AND METALLURGY

Starostenko, A.Kh. New Main Geared Turbine Unit for a 10,000 Ton Capacity Freighter 88

Gutkin, S.T. Universal Quick-acting Pneumatic Fixtures for Metal-cutting Machine Tools 99

Maslov, I.A. New Technology and Progressive Manufacturing Methods at the Kirov Plant in Leningrad 111

Goryachev, A.D. Experience in Introducing Die Casting 118

Belov, A.D. Setting of Molds and Cores by Chemical Means 125

Nefedov, P.G. Ways of Reducing Labor-consuming Trimming and Cleaning of Castings 134

Yefimov, P.A. and Kh.Sh. Lipin. The TsEP-2M Automatic Color Pyrometer 136

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Popilov, L. Ya.

PHASE I BOOK EXPLOITATION 29

Ivanov, Georgiy Petrovich, Candidate of Technical Sciences

Tekhnologiya elektroiskrovogo uprochneniya instrumentov i detaley mashin (Technology of Electric Spark Hardening of Tools and Machine Parts) Moscow, Mashgiz, 1957. 187 p. 7,000 copies printed.

Reviewer: Popilov, L. Ya., Engineer; Ed.: Astaf'yev, S. S., Candidate of Technical Sciences; Technical Ed.: Uvarova, A. F., Managing Ed. for literature on transport, highway and power machine building (Mashgiz): Voskresenskiy, N. N., Engineer.

PURPOSE: This monograph is intended for engineers, technicians, foremen, and electrotechnologists employed in machinery plants.

COVERAGE: The book 1) explains the basic problems of electro-spark hardening (nature of process, technology, and the hardening technique), 2) describes new electro-spark equipment developed by TsNIITMASH (Central Scientific Research Institute for Heavy Machine Building), 3) presents the

Card 1/7

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Technology of Electric Spark (Cont.)

theoretical, physical and metallographic principles of electro-spark hardening, and 4) on the basis of numerous experiments determines the special physical properties and describes mechanical tests of hardened specimens. Furthermore, the book introduces electro-spark hardening technology developed on the basis of physical parameters of the process, describes the practical application of the technology to hardening of tools and machine parts, and explains full-scale testing of various hardened machine parts. Pages 15-18 present basic data on the application of the electro-spark hardening method at the Kirovskiy Zavod (Kirov Plant) in Leningrad, at GAZ (Gor'kiy Automobile Plant imeni Molotov), Uralmashzavod (Ural Heavy Machinery Plant) and Uralvagonzavod (Ural Railroad-car Plant). The new electro-spark hardening machines EAI-1 single-electrode), IYe-2, IYe-2M, IAS-2M (five-electrode) developed by TsNIITMASH during 1954-1957 are compared with the KEI-1 and the UPR-3M. Persons assisting the author in the TsNIITMASH laboratory experiments were: Senior Engineer V.P.Savukov, Foreman A.D.Bondarev, Candidate of Technical Sciences S.S.Astaf'ev, Engineer V.V.Borisova, and Foreman A.S.Yeremin. The bibliography lists 48 references, all of them Soviet.

Card 2/7

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Technology of Electric Spark (Cont.)

TABLE OF CONTENTS:

Introduction 3

Ch. I. Present Status of Electro-spark Hardening 5
Nature of hardening 5
Technology and technique of hardening 9
The experience of some plants employing electro-spark hardening 15

Ch. II. Electro-spark Equipment of TsNIITMASH 19
Single-electrode electropspark machine type EAI-1 (G.P.Ivanov) 19
Five-electrode IYe-2 and IYe-2M electro-spark machines of TsNIITMASH 21

Ch. III. Physical Problems of Electro-spark Hardening 30
Transfer of matter from the hardening electrode to the work-piece and the mechanics of this process 30

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Technology of Electric Spark (Cont.)

Oscillograph recording of the electro-spark process 34
Mechanics of the ionic transfer of matter in the spark discharge 37

Ch. IV. Some Theoretical Problems on Formation of the Hardened Layer 42
Balance of matter during electro-spark hardening 42
Mechanics of layer formation and equation for determining the depth of hardening 43
Depth coefficient of the diffusion layer in hardening 49

Ch. V. Metallographic and Physical Investigations of the Hardened layer 51
Structure and depth of the hardened layer 51
Dependence of layer depth and hardness on the electrical power of the working regime 59
Effect of electrode material on the depth and hardness of the hardened layer 65
Dependence of the depth and hardness of the hardened layer on the capacity of connected capacitors 67

Card 4/7

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Technology of Electric Spark (Cont.)

Effect of specific duration of hardening on layer depth and hardness and determination of duration of hardening operations 70
Atmospheric nitrogen - an important element of hardening 74
X-ray analysis of the hardened layer 78

Ch. VI. Investigation of Special Physical Properties of the Electro-spark Hardened Layer 82
Heat resistant properties of the hardened layer 82
Thermal stability of electro-spark hardened layer during tempering 83
Anti-corrosion properties of the hardened layer 88
Erosion stability of hardened layer in a stream of water 90
Hardening of metal parts in a hot state 94

Ch. VII. Mechanical Testing of Hardened Specimen 96
Mechanical testing of specimen for wear in the NIDI machine 96
Mechanical testing of hardened specimen using the MI (Amsler) machine 100

Card 5/7

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Effect of electro-spark hardening on relative attenuation of oscillations in specimen 102
Effect of electro-spark hardening on fatigue limit at normal temperatures 103

Ch. VIII. Technology of Electro-spark Hardening and its Application 106
Technology of machine parts hardening 106
Application of technology in hardening of machine parts 118
Problems of mechanization in electro-spark hardening of machine parts 121

Ch. IX. Hardening of Cutting Tools Using the Machines and Technology of TsNIITMASH 126
Hardening of cutters 126
Testing of hardened chip curlers for durability 140
Hardening of drills 143
Hardening of milling cutters 152

Ch. X. Hardening of Machine Parts and Their Full-scale Testing 158

CIA-RDP86-00513R001342220012-4

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, Lev Yakovlevich, LEVINSON, Yevgeniy Maksimovich,; GUTKIN, B.G., kand. tekhn. nauk, retsenzent,; KOSMACHEV, I.G.,inzh., red.; BORODULINA, I.A., red. izd-va,; LEYKINA, T.L., red. izd-va.

[Electric metal-machining processes; a survey of foreign technology] Elektricheskie metody obrabotki metallov; obzor zarubezhnoi tekhniki. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1958. 145 p. (MIRA 11:11)
(Electric cutting machinery)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L.Ya., KOSMACHEV, I.G., red.; BORSHCHEVSKAYA, S.I., red.; RODCHENKO, N.I., tekhn.red.

[Electric and ultrasonic methods of processing materials]. Elektricheskie i ul'trazvukovye metody obrabotki materialov.[Leningrad] Lenizdat, 1958. 193 p. (MIRA 11:9)

(Electric metal cutting)
(Ultrasonic waves--Industrial applications)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

ANTIPOV, K.F., inzh.; BALAKSHIN, B.S., prof., doktor tekhn.nauk; BARYLOV, G.I., inzh.; BEYZEL'MAN, R.D., inzh.; BERDICHEVSKIY, Ya.G., inzh.; BOBKOV, A.A., inzh.; KALININ, M.A., kand.tekhn.nauk; KOVAN, V.M., prof., doktor tekhn.nauk; KORSAKOV, V.S., doktor tekhn.nauk; KOSILOVA, A.G., kand.tekhn.nauk; KUDRYAVTSEV, N.T., prof., doktor khim.nauk; KURYSHEVA, Ye.S., inzh.; LAKHTIN, Yu.M., prof., doktor tekhn.nauk; NAYERMAN, M.S., inzh.; NOVIKOV, M.P., kand.tekhn.nauk; PARIYSKIY, M.S., inzh.; PEREPONOV, M.N., inzh.; POPILOV, L.Ya., inzh.; POPOV, V.A., kand.tekhn.nauk; SAVERIN, M.M., prof., doktor tekhn.nauk; SASOV, V.V., kand.tekhn.nauk; SATEL', E.A., prof., doktor tekhn.nauk; SOKOLOVSKIY, A.P., prof., doktor tekhn.nauk [deceased]; STANKEVICH, V.G., inzh.; FRUMIN, Yu.L., inzh.; KHRAMOY, M.I., inzh.; TSEYTLIN, L.B., inzh.; SHUKHOV, Yu.V., kand.tekhn.nauk; MARKUS, M.Ye., inzh., red. [deceased]; GRANOVSKIY, G.I., red.; DEM'YANYUK, F.S., red.; ZUBOK, V.N., red.; MALOV, A.N., red.; NOVIKOV, M.P., red.; CHARNKO, D.V., red.; KARGANOV, V.G., inzh., red. graficheskikh rabot; SOKOLOVA, T.F., tekhn.red.

[Manual of a machinery designer and constructor; in two volumes] Spravochnik tekhnologa-mashinostroitelia; v dvukh tomakh. Glav. red. V.M.Kovan. Chleny red.soveta B.S.Balakshin i dr. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry. Vol.1. Pod red. A.G.Kosilovoi. 1958. 660 p. (MIRA 13:1)
(Mechanical engineering--Handbooks, manuals, etc.)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

POPILOV, L.Ya.

POPILOV, L.Ya., inzh.

The third conference on electric and ultrasonic methods used in machining materials. Mashinostroitel' no.1:47 Ja '58. (MIRA 11:1)

1. Predsedatel' Komiteta elektroobrabotki Leningradskogo oblastnogo nauchno-tekhnicheskogo otdela Mashproma.
(Metal cutting, Electric--Congresses)
(Ultrasonic waves--Industrial applications--Congresses)

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

AUTHOR: Popilov, L.Ya., Engineer SOV/122-58-12-30/32

TITLE: Third All-Union Conference on Electrical and Ultrasonic Machining of Metals (3-ye vsesoyuznoye soveshchaniye po elektricheskoy i ul'trazvukovoy obrabotke metallov)

PERIODICAL: Vestnik Mashinostroyeniya, 1958, Nr 12, pp 77-79 (USSR)

ABSTRACT: The Conference which took place in Leningrad is briefly summarised, except for papers concerned with basic physics. The conference was called by the Scientific and Technical Division of the Engineering Industry Organisation (NTO Mashprom), the State Scientific and Technical Committee of the Council of Ministers of the USSR (GNTK Soveta Ministrov SSSR) and by the Leningrad Economic Council (Leningradskiy Sovnarkhoz). Karmastin, V.F., of the Mechanical Engineering Works (Mashinostroitel'nyy zavod) of Tbilisi, reported on many years' experience in using coke-graphite electrodes in electro-erosion piercing. Copper plating greatly increased the electrode service life. Davydov, A.S., (Moscow), acquainted the conference with the electric resistance plant for preparing metal shot and powder by electric fusing as practised by a team at the Scientific

Card 1/9

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Third All-Union Conference on Electrical and Ultrasonic Machining of Metals

Research Institute fo r Tractor and Agricultural Machinery Manufacture (Nauchno-Issledovatel'skiy Institut Traktornogo i Sel'skokhozyaystvennogo Mashinostroyeniya). Using electric impulse fusing, powder and shot of different size can be obtained from swarf, strip or other forms of metal. Soluyanov, P.V., (Ul'yanovsk), reported on electro-mechanical machining by low voltage current proposed some years ago by Askinazi, B.M., and others. Surface hardening of machine components by this method has yielded an increased fatigue strength and better wear resistance. In a paper by Yasnogorodskiy, I.Z., (Barnaul) entitled "New Experiences in the Application of Metal Heating in an Electrolyte", problems of the so-called spark hardening process in an electrolyte were considered, which is based on thermal and thermo-chenical phenomena taking place at the boundary between the cathode and the electrolyte. The removal of metal is negligible (not exceeding 5 microns), component distortion is absent,

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Third All-Union Conference on Electrical and Ultrasonic Machining of Metals

the initial strength is retained, and the surface finish preserved, whether ground or polished. In an electrolyte containing thiosulphate, sulphiding was achieved with a sulphur content in the solid solution reaching 0.8%. Connecting rod bolts had their service life increased tenfold by this method. Gudgeon pins, quenched by heating in an electrolyte, were 40% stronger than those quenched by high frequency induction heating. The industrial application of an automatic machine for quenching of gudgeon pins in an electrolyte (and other tractor components) has yielded 18 million roubles savings per annum in one plant alone. These automatic machines were developed by the Altay Scientific Research Institute for Heavy Engineering (Altayskiy Nauchno-Issledovatel'skiy Institut Tyazhelogo Mashinostroyeniya). The application of the electric upsetting automatic machine AE-5Sh, featuring heating in an electrolyte to the manufacture of headed pins for tractor track chain links yielded an annual economy of 10,000 tons of metal. Ayzenshtok, V.L., (Gor'kiy) gave information on the

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Third All-Union Conference on Electrical and Ultrasonic Machining of Metals

technical and cost features of a method of electric spark marking of hardened components adopted by his Works. The marking heads with manual or solenoid feed operate with a voltage of 30-55 V. The electric contact machining of polygonal ingots was dealt with by Yukhvid, M.Ya.(Moscow). Experimental work on electric contact fettling of stainless and other high alloy steels has shown that the cost can be reduced by a factor of 2-3.5 and labour productivity increased by a factor of 10-12. The working tool is a steel disc rotating with a peripheral speed of 40 m/sec. The voltage amounts to 10-32 V. Spiridonov, A.A., of the Urals Polytechnic Institute (UPI), Sverdlovsk, lectured on the analysis of the design of installations for vibrating arc deposition and discussed the production features of this process. The possibility of obtaining, in a single pass, deposition thicknesses of high quality up to 3 mm was noted. Babikov, O.I. (Leningrad) gave information on measures taken to increase the production of ultrasonic apparatus for workshop purposes

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Third All-Union Conference on Electrical and Ultrasonic Machining of Metals

taken by the Leningrad Economic Council (Sovnarkhoz). Kitaygorodskiy, Yu.I. (NITI, Moscow), discussed the basic principles in the development of a single series of standard ultrasonic generators of 0.5; 1.0; 2.5; and 10 KW output and a series of standard transducers. The frequency range selected of 18-22 kcps ensures the performance of every production task among the engineering uses of ultra-sound. Ol'shanskiy, N.A., of the Moscow Technical University (MVTU, Moscow) reported on the use of ultra-sound in ordinary welding and as a source of power for the so-called ultrasonic welding. The effect of ultrasonic oscillation on a welding bath in the process of crystallisation improves the mechanical strength of the metal in the seam. In ultrasonic welding, the welded metal is not heated to the fusion temperature, nor are large plastic deformations applied. The demands on the cleanliness of the welded surface are less severe. Ultra-sound can be used for spot, seam or roller welding of similar or dissimilar metals as well as of non-metallic materials. Markov, A.I. (Moscow) reported on

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

Third All-Union Conference on Electrical and Ultrasonic Machining of Metals

a combined method of machining carbide materials (reported in greater detail in Vestnik Mashinostroyeniya, 1958, Nr 12, pp 46-47). The method, covered by Russian patent Nr 109844, dated 14.1.1957, consists of combining the known ultrasonic machining set-up, with the application of direct current of 6-18 V, when the component is made positive and the tool, negative. Preliminary claims of trebling the rate of metal removal and reducing the tool wear to one half and less compared with ordinary ultrasonic machining, are made. Krumbol'dt, M.N. (Moscow) communicated the substance of certain manufacturing features in ultrasonic welding. Goryachev, N.S. (Moscow) gave examples of ultrasonic piercing and ultrasonic sinking of dies. A slot of 30 x 8 mm in 8 mm thick tungsten carbide took 98 minutes to cut with boron carbide Nr 120 abrasive at 20 kcps frequency and a double amplitude of 70 microns. A 7th grade surface finish was achieved. Kotov, Ye.P. (Moscow) gave procedures and conditions for ultrasonic cleaning on an industrial scale. Summaries of experience in this field were given by

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"

"APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4

SOV/122-58-12-30/32

Third All-Union Conference on Electrical and Ultrasonic Machining of Metals

Rykov, N.S. (Moscow) and Savikina [illegible], Z.V. (Krasnogorsk). In a communication from D'yachenko, P.I., Mizrokhi, Yu.N. and Aver'yanov, V.G. of the Mechanical Engineering Institute in the Academy of Sciences (Institut Mashinovedeniya, AN SSSR), the investigations carried out at the Institute on the ultrasonic cutting of diamonds were surveyed. Information on an experimental machine for this purpose was given. Tuzlukova [illegible], V.A. (NITI, Moscow) gave examples of using the UZS-3M machine for the ultrasonic machining of hard and brittle materials (see also Vestnik Mashinostroyeniya, 1958, Nr 11). Mezhuyev, B.N. (MIFI, Moscow) communicated the results of studies to clarify the production features of ultrasonic piercing of ceramic and ferrite components with 0.2 mm diameter holes. The production procedures of making carbide dies on the ultrasonic piercing machine 1-UPS given in the paper by Veroman, V.Yu. (Leningrad) envisages the following sequence of operation: 1) Pre-drilling of holes in the ground blank by the electric spark method at a high rate. 1 mm allowance for ultrasonic machining is left. The

Card 7/9

APPROVED FOR RELEASE: 07/13/2001 CIA-RDP86-00513R001342220012-4"